

Invitation of Tender Tender Notice

Re-Tender No. No: Store-1/NVBDCP/Mosquito bed nets/purchase/2009-10/M/09/A
Date of Issue
21/12/2009

Tender Brief

Supply of Mosquito Bed Nets as mentioned in the tender details section from reputed manufacturers is invited online (internet).

Tender Details

Name of Item	Approx. Quantity to be purchased	E.M.D. (Rs.)
Polyester double mosquito bed nets conforming to IS: 14953-2001 variety-2, as per latest amendments.	454550	1500000

Instruction to Bidders for Online Tender Participation.

- 1- Tender documents can be downloaded free from the website <https://commissionerhealth.nprocure.com> between 21/12/2009 to 10/01/2010 up to 15.00 hrs.
- 2- All bids should be submitted online from the website <https://commissionerhealth.nprocure.com>
- 3- All bids should be digitally signed, for details regarding digital signature certificate and related training involved the below mentioned address should be contacted
(n)Code solutions
A division of GNFC
301, GNFC Infotower, Bodakdev,
Ahmedabad- 380 054 (India)
Tel : +91 79 26857316/17/18
Fax: +91 79 26857321.
www.ncodesolutions.com
- 4- The user can get a copy of instructions to online participation from the website <https://commissionerhealth.nprocure.com>
- 5- The suppliers should register on the website through the “New Supplier” link provided at the home page, the registration on the site should not be taken as registration or empanelment or any other form of registration with the tendering authority
- 6- The application for training and issue of digital signature certificates should be made at least 72 hours in advance to the due date and time of tender submission.
- 7- For all queries regarding use of digital signature certificate should be addressed to personnel in M/s (n) Code Solutions.
- 8- For all queries regarding tender specifications and any other clauses included in tender document should be addressed to personnel in tendering office address provided below

Contact Details

Joint Director, N.V.B.D.C.P
Block No. 5, 2nd Floor
Dr. Jivaraj Mehta Bhavan
Gandhinagar Phone/Fax: 079 – 23253293

Due Date and Time for online submission of the Tender: 12/01/2010, 1700 hrs

Due Date and Time for Technical bid Opening: 18/01/2010, 1500 hrs

Envelopes containing the “Technical Supporting Documents”, inclusive of the “Document Fee”, “EMD Fee” and three sealed samples of the mosquito nets in three separate covers to be submitted on or before 13/01/2010, 18.00 hrs at the below mentioned address. The samples of the mosquito bed nets to be provided with the documents should not bear any identification mark of the manufacturer, as the same will lead to disqualification of the tender.

Venue: <https://commissionerhealth.nprocure.com>
Joint Director, N.V.B.D.C.P
Block No. 5, 2nd Floor
Dr. Jivaraj Mehta Bhavan
Gandhinagar

Key Value

Document Fee: 10,000

Earnest Money Deposit (EMD): 15, 00,000

As approved by Commissioner Health, M.S & M.E on note dated 10/12/2009

**Additional Director (Health)
Gandhinagar**

GOVERNMENT OF GUJARAT

**COMMISSIONERATE OF HEALTH, MEDICAL SERVICES & MEDICAL
EDUCATION (HEALTH DEPARTMENT)**

JOINT DIRECTOR, NVBDCP, GANDHINGAR
'Block No. 5, Dr. Jivaraj Mehta Bhavan, 2nd Floor
Gandhinagar- 382010.

IMPORTANT INSTRUCTIONS / TERMS / CONDITIONS TO TENDERERS
FORMING PART & PARCEL OF ENQUIRY DOCUMENT:

**Re-TENDER ENQUIRY # No: Store-1/NVBDCP/Mosquito bed nets/purchase/2009-
10/M/09/A**

ITEM : SHOWN AS UNDER
LAST DATE FOR DOWNLOADING THE TENDER : 10/01/2010
LAST DATE FOR ONLINE SUBMISSION OF TENDER : 12/01/2010
DATE OF OPENING OF TECHNICAL BID : 18/01/2010
TENDER FEE : Rs. 10000

NAME & ADDRESS OF TENDERER : _____
: _____
: _____
C.S.P.O., REGISTRATION GROUP NO. :

THIS TENDER DOCUMENT COMPRISES OF TWO PARTS LABELLED AS PART I & II
THIS TENDER ENQUIRY IS FOR **FIXED QTY. PURCHASE** OF ITEM AS UNDER:
DETAILED SPECIFICATIONS ARE GIVEN IN PART-I i.e. TECHNICAL BID.

Sr. No.	ITEM	QTY.	PLACE OF FREE DELIVERY	E.M.D. (Rs.)
1.	MOSQUITO BED NETS	454550	Any where in Gujarat	1500000

NOTE:

(1) **THE TENDERER HAS TO SUBMIT ALL THE REQUIRED DETAILS / DOCUMENTS WITH THE TENDER. NO COMPLIANCE WILL BE ACCEPTED AND CONSIDERED AFTER DUE DATE I.E OPENING OF THE TECHNICAL BID.**

SIGNATURE & STAMP OF TENDERER

PART-I: TECHNICAL BID

T.E.NO: No: Store-1/NVBDCP/Mosquito bed nets/purchase/2009-10/M/09

Name of Item # MOSQUITO BED NET

Required Specifications	Specific ations availab le for the offered item.
General	
<p>Polyester double mosquito bed nets conforming to the specifications mentioned in IS: 14953-2001 Variety 2, as per latest amendments.</p> <p>All goods materials to be incorporated in the goods shall be new, unused, and of the most recent and current models and that they incorporate all recent improvements in design and materials and shall comply with the technical specifications given as under.</p>	
Dimensions	
Length- cm : 180 (+) or (-) 5	
Width -cm :100 (+)or (-) 4	
Height- cm (including bottom reinforcement piece):150 (+) or (-) 5	
Height of bottom reinforcement piece, cm:28.0 (+) or (-) 3	
Color/Shade: Color /Shade of the nets shall be white	
Other requirements as per IS: 14953-2001	
<p>The netting shall be made from polyester multifilament yarns of 75 denier i.e. Variety 2 of IS specification. The size of mesh of the netting shall be 156. The denier of multifilament yarn shall be with in (+) or (-) 10 percent tolerance when tested by the method given in IS: 7703 (Part I). The holes in the mesh of the netting shall be round.</p> <p>The bed nets shall be reinforced at the bottom edge of the walls in accordance with clause 4.2 of IS: 14953-2001.</p> <p>Marking of the bed nets will have to be made as per clause 6.1 of IS:14953-2001</p> <p>The bed nets shall be packed in bundles of 50 numbers as per clause 7 of IS: 14953-2001. Goods shall be packed properly to prevent damage or deterioration and withstand rough handling and exposure to extreme conditions during transit to their final destination.</p>	

Specific requirements as per IS: 14953-2001		
The netting shall conform to the following requirements.		
Characteristic	Requirement	Method of Test
Width	As per IS: 14953-2001	IS 1954
Mass per square meter (gm/sq.m)	28 (+) 5 % or(-) 2.5%	IS 1964
No. of holes with in 6.25 sq. m area		
For 156 mesh : 28 to 33 (as per amendment no.1 June 2003 to IS 14953:2002)		
Bursting Strength kpa, Min	274	IS 1966
pH value of aqueous extract	6.0 to 7.5	IS 1390
Color fastness		
a) To washing (Change in color) :	rating 4 or better	IS 764
b) To light	: rating 5 or better	IS 2454

Note:

1. Copy of IS specification No. IS: 14953-2001,“Edition 1.1 should be referred for the specifications.
2. The specifications available for the above mentioned item shall be mentioned clearly against each tender specification.

SIGNATURE & STAMP OF TENDERER